



House - Semi-Detached (EPC Rating: D)

154 LONDON ROAD, HIGH WYCOMBE,
HP11 1DQ
 Per Month

£1,800 Per

**Rye
View**
HOMES



3 Bedroom House - Semi-Detached located in High Wycombe

RyeView Homes are pleased to present this three bedroom semi-detached property towards the East part of town. The property benefits from two living rooms, own private garden and family bathroom and is offered to the market unfurnished.

Further benefits include, gas central heating, double glazing, and a rear enclosed garden.

Available January 2026 on an unfurnished basis

Deposit
£2,076.92

Council Tax Band:
D

Summary of fees charged for lettings

Rent excludes the tenancy deposit and any other permitted payments.

Holding Deposit

The Tenant will be liable to pay an amount equal to 1 weeks rent.

Tenancy Deposit

A maximum of 5 weeks' rent.

Tenant Protection

RyeView Homes is a member of the Deposit Protection Scheme - an approved scheme. RyeView Homes is proud to be a member of the Propertymark Client Money Protection Scheme.

NOTE: These particulars are intended only as a guide to prospective Tenants to enable them to decide whether to make further enquiries with a view to taking up negotiations but they are otherwise not intended to be relied upon in any way for any purpose whatsoever and accordingly neither their accuracy nor the continued availability of the property is in any way guaranteed and they are furnished on the express understanding that


neither the Agents nor the Vendors are to be or become under any liability or claim in respect of their contents. Any prospective Tenant must satisfy himself by inspection or otherwise as to the correctness of the particulars contained.



Council Tax Band

D

Energy Performance Graph



Call us on
01494 510099
info@ryeviewhomes.com
ryeviewhomes.com

Agents Note: Whilst every care has been taken to prepare these particulars, they are for guidance purposes only. All measurements are approximate and are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers are advised to recheck the measurements.